/IAP 5. BLYTHE LANDFILL: Reference Areas.

1AP SOURCE: RCFC & WCD.



18-6

**FEET** 

## SOLID WASTE FACILITY PERMIT

1. Facility/Permit Number

33-AA-0017/97-02

2 Name and Street Address of Facility	3. Name and Mailing Address of Operator		4. Name and Mailing Address of Owner
Blythe Sanitary Landfill	Waste Management Resources		Waste Management Resources
Midland Road	District		District
<b>Blythe</b> , CA. 92225	1995 Market Street		1995 Market Street
	Riverside. CA. 92	304	Riverside. CA 92504
5. Specifications			
a. Permitted <b>Operations</b>	☐ Compostmg Facility (mixed wastes) ☐ Compostrng Facility (yard waste) ☑ Landfill Disposal Site ☐ Material Recovery Facility		<ul> <li>□ Processing Facility</li> <li>□ Transfer Station</li> <li>□ Transformation Facility</li> <li>□ Other</li> </ul>
3. Permitted Hours of Operation:			
Monday through Saturday 8:00 a.m. to <b>4:30</b> p.m. and 1st Sunday of each month from <b>10:00</b> a.m. to 2:00 p.m. May change hours of <b>operation</b> to 6:00 a.m. to <b>8:00</b> p.m. Monday through Sunday, with prior notification to the LEA. Closed New Years Day, Easter Sunday. <b>Memorial</b> Day Fourth of July, Labor Day, Thanksgiving Day, Christmas Day.			
3. Permitted Tons per Operating Day:			
Non- Hazardous- General Non-Hazardous - Sludge Non-Hazardous - Separated or commingled I Non-Hazardous - Other (See Section 14 of P Designated (See Section 14 of Permit) Hazardous (See Section 14 of Permit)	ermit)	Maximum  400 Tons/Day  00 Tons/Day  0 0 Tons/Day  0 0 Tons/Day  0 0 Tons/Day  0 0 Tons/Day  400 Tons/Day	
d. Permitted Traffic Volume:			
Public and Commercial Solid Waste Haulers  Non-Hazardous • Other : Liquid Waste Pumpers  Total 140  Vehicles/Day  Vehicles/Day			
e. Key Design Parameters (Detailed parameters are shown on site plans bearing LEA and CIWMB validations)			
	Total Disposal	Transfer	M R F   Composting   Transformation
` '	335 a 78.1 a	2	a a a
Design Capacity  Maximum Florestian (Ft. MSI)	3.402.000 cy 525 ft	tpd	tpd tpd tpd
Maximum Elevation (Ft. MSL)  Maximum Depth (Ft. MSL)	420 ft		
Estimated Closure Date	198.77		Marie Water Water Company
Upon a significant change in design or operation from that <b>described</b> herein, this <b>permit</b> is subject to <b>revocation</b> or <b>suspension</b> . The attached permit findings and <b>conditions</b> are Integral parts of this permit and supersede the conditions of any <b>previously issued solid</b> waste <b>facility permits</b> .			
6. Approval:			7. Enforcement Agency Name and Address.
John M. Fanning/Chairman, LEA			Local Solid Waste Management <b>Enforcement</b> Agency for Riverside County 1737 Atlanta Avenue, Building "H-5" Riverside, CA 92507
8. Received by CIWMB:			9. CIWMB Concurrence Date:
•			
3E 1997			
10. Permit Review Due Date;			11. Permit Issued Date
10. I GITHL NEVIEW DUE DAIG.			
12. Legal Description of Facility:			
S 1/2 SE 1/4 Section 25. T 5 S, R 22 E and NW 1/4, N 1/2., SW 1/4 Section 31. T 5 S, R 23 E San Bernardino Base Meridian			

## 33-AA-0017/97-02

## SOLID WASTE FACILITY PERMIT

- 17. LEA Conditions
  - a. The operator shall make copies of all inspection reports and permits issued by this and other regulatory agencies available for review by site personnel and authorized representatives of all responsible agencies during normal office hours. In addition, a copy of this permit, the **Report** of Facility Information and special occurrence log shall be maintained **onsite**.
  - b. The facility is **permitted** to receive the following non-hazardous solid **wastes**: Residential **waste**, **mixed municipal** waste, agricultural, construction demolition, tires from individuals, non-hazardous industrial, triple runsed and punctured empty pesticide containers, dead animals, grits and screenings. Also **septic wastes**, chemical toilet wastes and grease trap pumpings may be accepted at the ponds.
  - Any additional information the LEA deems necessary to permit and inspect this facility shall be provided by the
    operator.
  - d. This permit supersedes previous permit 33-AA-0017 issued-on 6-2 I-79. This permit reflects a **change in connage from** 55 TPD to 400 TPD maximum.
  - To comply with Title 27, Section 20590 (Personnel Health and Safety). the operator shall ensure that all personnel assigned to waste handling/processing duties have and utilize (when and where appropriate) the following equipment: dust masks, hearing protection devices, safety glasses/goggles, safety vests. heavy work gloves. heavy work boots (steel shanks and toes recommended), and hard hats. Where applicable, this equipment shall meet all State and Federal safety standards. A copy of the site's Health and Safety Plan shall be maintained on-site.
  - f. The site shall maintain the formal hazardous waste monitoring program that was approved by this agency. At a minimum, the program shall include the following:
    - · inspection of all incoming loads for fugitive hazardous wastes at the fee booth/scales
    - training of all staff responsible for waste handling/management in hazardous waste recognition and site procedures in managing detected hazardous wastes
    - Provide signs listing materials prohibited from this facility
    - · Maintain approved load checking program
  - g. At a minimum, the following items shall be recorded in the site's special occurrences log:
    - weather conditions that adversely impact site operations
    - fires
    - explosions
    - accidents and/or injuries
    - any incidents involving hazardous waste
    - visits by regulatory agencies (name, agency, mailing address and phone number)
    - equipment down time that adversely impacts site operation

18-9

Page 3 of 3